

***Acta Carsologica, 2006
Issue 35(2)***

Spatial planning and protection measures for karst areas. Hamilton-Smith, E., 5–12.

Management models and development of show caves as tourist destinations in Croatia. Bočić, N., Lukić, A., and Tvrčko Opačić, V., 13–22.

Tourism and preservation policies in karst areas: Comparison between the Škocjan caves (Slovenia) and the Ardèche gorge (France). Duval, M., 23–36.

The concepts of heritage and heritage resource applied to karsts: Protecting the Choranche caves (Vercors, France). Gauchon, C., Ployon, E., Delannoy, J.-J., Hacquard, S., and Hobléa, F., 37–46.

Evaluating the human disturbance to karst environments in southern Italy. Calò, F., and Parise, M., 47–56.

Changes in the use of natural resources and human impact in the karst environments of the Venetian Prealps. Sauro, U., 57–64.

Sustainable management of brackish karst spring Pantan (Croatia). Fistanić, I., 65–72.

Karst water management in Slovenia in the frame of vulnerability mapping. Ravbar, N., and Kovačić, G., 73–82.

Tracing of the stream flowing through the cave Ferranova buža, central Slovenia. Staut, M., and Auersperger, P., 83–90.

Tracer test on the Mala gora landfill near Ribnica in southeastern Slovenia. Kogovšek, and Petrič, M., 91–102.

Dolenska subsoil stone forests and other karst phenomena discovered during the construction of the Hrastje-Lešnica motorway section. Knez, M., and Slabe, T., 103–110.

Glacial destruction of cave systems in high mountains, with special reference to the Aladaglar massif, central Taurus, Turkey. Klimchouk, A., Bayari, S., Nazik, L., and Törk, K., 111–122.

Electron spin resonance (ESR) dating in karst environments. Blackwell, B.A.B., 123–154.

The history of Postojnska Jama: The 1748 Joseph Anton Nagel inscriptions in Jama near Predjama and Postojnska Jama. Kempe, S., Hubrich, H.-P., and Suckstorff, K., 155–162.

Baltazar Hacquet (1739/40–1815), the pioneer of karst geomorphologists. Kranjc, A., 163–168.

Comments

Karel Dežman is not forgotten. Praprotnik, N., 169.

Reports

The 6th sinageo and the insertion of the karst geomorphology thematic session. Travassos, L.E.P., Kohler, H.C., and Krnjajc, A., 170–171.

The longest history of an ice cave—under Ural?. Kranjc, A., 172–173.

Essential sources in cave science, Gabrovšek, F., 174.

**Die Hohle, December 2006
Issue 57(1-4)**

Strategically important water resources in the Tennengebirge and their protection against privatizing: Geological Hydrological and juristic facts. Dachs, E., Klappacher, W., Pavusa, R., and peer, B., 3-16.

Caves with prehistoric findings in Chagwat Kanchanaburi, western Thailand. Kusch, H., 17-29.

The Nasse Schacht near Mannersdorf an Leithagebirge, Lower Austria—a cave with thermal influence at the eastern margin of the Vienna Basin. Plan, L., Pavusa, R., and Seeman, R., 30-46.

An aragonite stalagmite from the B7 cave (NW-Sauerland, Nordrhein-Westfalen). Niggerman, S., and Richter, D.K., 47-56.

The age of stalagmites from Katerloch Cave (2833/59): First uranium/thorium dating results. Boch, R., Spötl, C., and Kramers, J., 57-62.

History of caving in Kapfenberg, Styria. Boch, R., Spötl, C., and Kramers, J., 63-65.


Exploration Reports

Recent explorations in Südwandhöhle (Dachsteinloch, 1543/28), Styria—Upper Austria. Seebacher, R., 76-89.

The Gamslöcher-Kolowrat-Salzburgerschacht-System (1339/1). Zehentner, G., Zagler, G., and Klappacher, W., 90-102.

Bärenlucke (1836/180) and Mariannenhöhle (1836/18)—Recent explorations in the karst hydrological system of the Schlagerboden Polje, Lower Austria. Klampfer, A., 103-109.

Exploration project Ghar-e-Roodafshan, Province Teheran, Iran. Geyer, E., 110-114.



**International Journal of Speleology, 2007
Issue 36(1)**

Acadian biospeleology: composition and ecology of cave fauna of Nova Scotia and southern New Brunswick, Canada. Moseley, M., 1-21.

Sails: A new gypsum speleothem from Naica, Chihuahua, Mexico. Forti, P., Bernabei, T., and Villsuso, R., 23-30.

Bomb-spike dating of a mummified baboon in Ludwig Cave, Namibia. Hodgins, G., Brook, G.A., and Marais, E., 31-38.

Petrographic and geochemical study on cave pearls from Kanaan Cave (Lebanon). Nader, F.H., 39-50.

Seasonal variations of CO₂ and ²²²Rn in a Mediterranean sinkhole-spring (Causse d'Aumelas, SE France). Batiot-Guilhe, H., Seidel, J-L., Jourde, H., Hébrard, O., and Bailly-Comte, V., 51-56.

Subterranean Biology, 2006
Issue 4

Hypotelminorheic—A unique freshwater habitat. Culver, D.C., Pipan, T., and Gottstein, S., 1–8.

Range extension of the karst isopod *Sphaeromides raymondi* (Cirolanidae, Isopoda, Crustacea) in France. Notenboom, J., Oertel, A., Boutin, C., Deharveng, L., 9–14.

First faunistic records of arthropods from Cueva de Oxtotilan, Guerrero, Mexico. Palacios-Vargas, G.J., Espinosa, N.I., and Castano-Manases, G., 15–18.

Catalog of troglobitic Staphylinidae (Pselaphinae excluded) of the world. Hlavac, P., Oromi, P., and Bordoni, A., 19–28.

Reduction of a visually mediated association preference in the cave molly (*Poecilia mexicana*, Poeciliidae, Teleostei). Tobler, M., Burmeister, H., Schlupp, I., and Plath, M., 29–36.

The first troglobitic species of Scleropactidae from Brazil (Crustacea: Isopoda: Oniscidea). Souza, L.A., Bezerra, A.V., and de Araujo, J.P., 37–44.

Bogidiella indica, a new species of subterranean Amphipod Crustacean (Bogidiellidae) from wells in Southeastern India,

with remarks on the biogeographic importance of recently discovered Bogidiellids on the Indian subcontinent. Hol-singer, J.R., Reddy, Y.R., and Messouli, M., 45–54.

The first African member of the Family Crangonyctidae, *Crangonyx africanus*, sp.nov. (Crustacea Amphipoda) in the groundwaters of Western Morocco: systematics and biogeographical implications. Messouli, M., 55–66.

Description of *Pseudoingolfiella morimotoi*, sp.nov. (Crustacea Amphipoda) from New Zealand and transantarctic distribution of the genus, 67–78.

Three new species of Pseudoniphargus (Amphipoda), from three islands Mediterranean. Messouli, M., Messina, G., and Yacoubi-Khebiza, M., 79–102.

Kircheria beroni a new genus and new species of subterranean hygropetricolous Leptodirinae from Albania (Coleoptera, Cholevidae). Giachino, P.M. and Vailatti, D., 103–116.

Book Reviews

Essential sources in cave science—a guide to the literature of Cave Science edited by Graham S. Proudlove. Michel, G.

Subterranean Fishes of the World. Trajano, E.